3									The state of the s
			Medium ar	d Heav	y Trucks (25101	600-21-STC)			
					uote Form (PQF				
			(001100100100						
(STATE AGENCIES MUST ALSO SUBMIT FORM MP6301)									
				Upo	dated 10/15/2021	The same of the sa			
			Awa	rded C	ontractor Inform	ation			
Contractor Name:	1	Tampa Truck Cen	ter LLC dba: Southport Truck	Group					
Street Address:		7528 US HWY 301							
City, State, Zip:		Tampa, FL 33637							
Contact Person:		Scott Endris			Title:	Municipal Fleet Mgr			
Original Quote Date:		1/17/2024	Revised Quote Da	ite:			Est. Delivery:		
	nary: 8	813-293-0866					813-262-0904		
Email Address:		sendris@southpo	rttruck.com						
Fax #:		813-262-0904							
Contractor's Purchase Orde	ler#:								The second second second second second
	-		Regu	estina	Customer Inform	nation			
Agency/Eligible User Nar	me. II	Hernando Schools		iootii ig	ouotomor mion	nation			
Contact Person:		Ron Ralph			Title:				
	nary:	rton rtaipii				Secondary:			
Email Address:	nary.					occonduty.			
Fax #:									
· wa m			Secon	dary Con	tact for Customer (O	intional)		THE RESERVE	PERSONAL PROPERTY.
Contact Person:		-	00001	iddi'j Goil	Title:	pulling			
	nary:				THUO.	Secondary:			10-1-10-10-10-10-10-10-10-10-10-10-10-10
Email Address:						occontainty.			
Fax #:									
UNSPSC		THE RESERVE OF THE PERSON NAMED IN				THE PERSON NAMED IN			
Commodity Code			Group		Base Vehicle Code		Base Vehicle	Specification	
25181602		TDI	JCK CHASSIS		110		CHASSIS-CA	B 33 000GVW	
25181602		INC	JCK CHASSIS		110			33,000 3 7 7 7	Customer Pick-Up
Manufactures/Draw			Depresentative Model		Representative	Base Vehicle Price	OEM Options	Non-OEM Options	Discount
Manufacturer/Brand	id		Representative Model		Model Number	\$###,###.##	Discount	Discount ##%	\$(#,###,##)
Espiahtlines			M2			\$ 59,888.00	##% 3%	0%	\$(#,###.##)
Freightliner	DONLY	A DE LIGED FOR A	EM AND NON-OEM OPTIONS	THAT AS	DE ODECIEICALI VID				E VEHICLE CODE
THIS SECTION SHOUL	LD UNLY		E. ALL OTHER OPTIONS SHO						E VEHICLE CODE
		LISTED ABOV	E. ALL OTHER OF HONS SHO	JULU DE I				Identified Option	
	Identif	fied Option Descri	ption	QTY	Identified Option Manufacturer	Identified Option Model Number	Identified Option	Price (Per Unit)	Total Price
187" CA				1	8012	Model Number	Туре	\$ 1,248.39	\$ 1,248.39
107 CA				-	0012			9 1,240.00	\$ 1,240.00
				_					\$ -
									\$ -
		A							\$ -
									\$ -
			SUBTOTAL: Ide	ntified Op	tions CONTINUED				\$ -
					ified Options				\$ 1,248.39
	250			0	OEM Option	OFM Option Model	OEM Option MSRP	OEM Option Price	The Mark Control
	OEN	M Option Descript	ion	QTY	Manufacturer	Number	(Per Unit)	(Per Unit)	Total Price
CUMMINS 250HP I.L.O. S	STANDA	RD		1	101-21U		\$ 1,675.00		\$ 1,624.75
GHG21 ENHANCEMENT				1	PMV-021		\$ 455.00		
CUMMINS TARIFF				1	RAF-020		\$ 205.00		
TILT/TELESCOPIC STEE	ERING			1	532-002		\$ 478.00		
POWER WINDOWS/LOC				1	655-005		\$ 317.00		
					000 000	4		\$ -	\$ -
								\$ -	\$ -
						-		\$ -	\$ -
			SUBTOTAL: 0	EM Optio	ons CONTINUED	VALUE OF THE PARTY			\$ -
			TOTAL	COST: OF	M Options				\$ 3,036.10
	N 0	FIL O - 4' D		071	Non-OEM Option	Non-OEM Option	Non-OEM Option	Non-OEM Option	Total Drice
	Non-O	EM Option Descr	iption	QTY	Manufacturer	Model Number	MSRP (Per Unit)	Price (Per Unit)	Total Price
24FT VAN BODY TO MEE	ET HERN	NANDO SPECS		1	24FT VAN		\$ 27,890.00	\$ 27,890.00	\$ 27,890.00
WITH MRT3500 80X72+1	16 PLATE	FORM		1		Mary of the same o	\$ 16,825.00	\$ 16,825.00	\$ 16,825.00
								\$ -	\$ -
								\$ -	\$ -
2023 DTNA PRODUCTIO	ON SURC	CHARGE		1			\$ 6,700.00	\$ 6,700.00	\$ 6,700.00
							- Carlotta - Al. 1	\$ -	\$ -
								\$ -	\$ -
0-2				-				\$ -	\$ -
					tions <u>CONTINUED</u>				\$ -
		A CONTRACTOR OF THE PARTY OF TH			OEM Options				\$ 51,415.00
	Laure 1	The same of the same of	Grand Total	State Terr	n Contract Price	and the same of th			\$ 115,587.49
Contractor Comments:									
Customer Comments:									

Phone: 850-488-7540

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	
Price Level				
PRL-28M	M2 PRL-28M (EFF:MY25 ORDERS)			
Data Version				
DRL-025	SPECPRO21 DATA RELEASE VER 025			
Vehicle Configur	ation			
001-172	M2 106 PLUS CONVENTIONAL CHASSIS	5,709	3,450	
004-225	2025 MODEL YEAR SPECIFIED			
002-004	SET BACK AXLE - TRUCK			
019-004	STRAIGHT TRUCK PROVISION, NON-TOWING			
003-001	LH PRIMARY STEERING LOCATION			
General Service				
AA1-002	TRUCK CONFIGURATION			
AA6-002	DOMICILED, USA (EXCLUDING CALIFORNIA AND CARB OPT-IN STATES)			
99D-027	EPA EMISSIONS CERTIFICATION FOR REGISTRATION OUTSIDE CARB STATES - EPA CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD OF DRIVER DOOR)			
AF2-998	NONE			
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			
A84-1GM	GOVERNMENT BUSINESS SEGMENT			
AA4-001	GENERAL FREIGHT COMMODITY			
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			
AB1-008	MAXIMUM 8% EXPECTED GRADE			
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			
995-091	MEDIUM TRUCK WARRANTY			
A66-99D	EXPECTED FRONT AXLE(S) LOAD: 12000.0 lbs			

ERROR: Image type not supported.

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

	Data Code	Description	Weight Front	Weight Rear	
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs			
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 33000.0 lbs			
Truck S	Service				
	AA3-005	FLATBED/PLATFORM/STAKE BODY			
	AF3-165	OX BODIES (TBEI)			
	AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine					
	101-21U	CUM B6.7 250 HP @ 2400 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM			
Electro	nic Paramet	ers			
	79A-075	75 MPH ROAD SPEED LIMIT			
	79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			
	79K-005	PTO MODE ENGINE RPM LIMIT - 900 RPM			
	79M-001	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED			
	79P-004	PTO RPM WITH CRUISE SET SWITCH - 900 RPM			
	79Q-004	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM			
	79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			
	79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			
	79W-024	CRUISE CONTROL BUTTON PTO CONTROL			
	80G-002	PTO MINIMUM RPM - 700			
	80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			
	80S-002	PTO 1, DASH SWITCH, ROLLING OPERATION (ENGAGE WHILE PARKED, ROLL IN NEUTRAL AFTER ENGAGEMENT)			
Engine	Equipment				
	99C-024	EPA 2010/GHG 2024 CONFIGURATION			
	13E-001	STANDARD OIL PAN			
	105-001	ENGINE MOUNTED OIL CHECK AND FILL			
	014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			
	124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			
	292-235	(2) DTNA GENUINE, FLOODED STARTING, MIN 2000CCA, 370RC, THREADED STUD BATTERIES	10		

ERROR: Image type not supported.

TALLADASSEE, FL 32399	
Phone: 850-488-7540	

Data Code	Description	Weight Front	Weight Rear	
290-017	BATTERY BOX FRAME MOUNTED			
281-001	STANDARD BATTERY JUMPERS			
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
289-001	NON-POLISHED BATTERY BOX COVER			
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS			
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			
131-013	AIR COMPRESSOR DISCHARGE LINE			
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM			
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF			
016-1C3	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH HORIZONTAL TAILPIPE			
28F-014	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER			
239-001	STANDARD EXHAUST SYSTEM LENGTH			
237-052	RH STANDARD HORIZONTAL TAILPIPE			
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
110-003	CUMMINS SPIN ON FUEL FILTER			
118-001	FULL FLOW OIL FILTER			
266-100	700 SQUARE INCH ALUMINUM RADIATOR			
103-036	ANTIFREEZE TO -34F, ETHYLENE GLYCOL PRE- CHARGED SCA HEAVY DUTY COOLANT			
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637

Phone: 813-293-0866

Data Code	Description	Weight Front	Weight Rear	
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			
270-016	RADIATOR DRAIN VALVE			
168-002	LOWER RADIATOR GUARD			
134-001	ALUMINUM FLYWHEEL HOUSING			
132-004	ELECTRIC GRID AIR INTAKE WARMER			
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			
Transmission				
342-1MN	ALLISON 2500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION			
Transmission Eq	uipment			
343-301	ALLISON VOCATIONAL PACKAGE 354 - AVAILABLE ON 1000/2000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, EVS, HS, MH, PTS AND SPS			
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			
84C-007	PRIMARY MODE GEARS, 6 FORWARD GEARS WITH MANUAL SELECTION FOR 3, 2 AND 1, AVAILABLE FOR 1000/2000 PRODUCT FAMILIES ONLY			
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			

ERROR: Image type not supported.

Da	ta Code	Description	Weight Front	Weight Rear
353	3-074	QUICKFIT BODY LIGHTING CONNECTOR UNDER CAB, WITH BLUNTCUTS		
362	2-802	CUSTOMER INSTALLED CHELSEA 442 SERIES PTO		
363	3-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON		
341	-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345	5-072	DASH MOUNTED T-HANDLE CABLE SHIFT CONTROL WITHOUT PARK BRAKE POSITION		
970	G-006	TRANSMISSION PROGNOSTICS - DISABLED (N/A) 2013, FOR USE IN 1000/2000 ONLY		
370	-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
346	-001	TRANSMISSION OIL CHECK AND FILL		
35T	-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
Front Axle	and Equ	ipment		
400	-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE		
402	-020	MERITOR 15X4 Q+ CAM FRONT BRAKES		
403	-002	NON-ASBESTOS FRONT BRAKE LINING		
419	-023	CONMET CAST IRON FRONT BRAKE DRUMS		
409	-006	FRONT OIL SEALS		
408	-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
416	-022	STANDARD SPINDLE NUTS FOR ALL AXLES		
405	-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-	-050	TRW THP-60 POWER STEERING		
539-	-003	POWER STEERING PUMP		
534-	-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR		
40T-	-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspe	ension			
620-	-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	42	
619-	-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION	72	
440	001	FRONT SHOCK ABSORBERS		

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637

Phone: 813-293-0866

Data C	ode Desc	ription	Weight Front	Weight Rear	
420-1C		ROIT DA-RS-21.0-4 21,000# R-SERIES GLE REAR AXLE			
421-588	5.88	REAR AXLE RATIO			
424-00		REAR AXLE CARRIER WITH STANDARD HOUSING			
386-093	(A)	10 MERITOR SERVICE-FREE MAIN /ELINE WITH HALF ROUND (16T) YOKES	35	35	
423-020		ITOR 16.5X7 Q+ CAST SPIDER CAM REAR KES, DOUBLE ANCHOR, FABRICATED ES			
433-002	2 NON	-ASBESTOS REAR BRAKE LINING			
434-019		HALT SPREADER CLEARANCE REAR KE GEOMETRY			
451-023	3 CON	MET CAST IRON REAR BRAKE DRUMS			
440-006	6 REA	R OIL SEALS			
426-100		CO TRISTOP D LONGSTROKE 1-DRIVE E SPRING PARKING CHAMBERS			
428-003	3 HAL	DEX AUTOMATIC REAR SLACK ADJUSTER	RS		
41T-00	_	RENT AVAILABLE SYNTHETIC 75W-90 REA	AR		
Rear Suspens	ion				
622-1M	SPR	00# 52 INCH VARIABLE RATE MULTI-LEAF ING REAR SUSPENSION WITH LEAF ING HELPER		110	
621-00	1 SPR	ING SUSPENSION - NO AXLE SPACERS			
431-00	1 STA	NDARD AXLE SEATS IN AXLE CLAMP DUP			
Pusher / Tag I	Equipment				
429-99	8 NO	PUSHER/TAG BRAKE DUST SHIELDS			
Brake System					
018-00	2 AIR	BRAKE PACKAGE			
490-10	0 WAE	3CO 4S/4M ABS			
871-00		NFORCED NYLON, FABRIC BRAID AND WIF ID CHASSIS AIR LINES	RE		
904-00	1 FIBE	R BRAID PARKING BRAKE HOSE			
412-00	1 STA	NDARD BRAKE SYSTEM VALVES			
46D-00		NDARD AIR SYSTEM PRESSURE TECTION SYSTEM			
413-00	2 STD	U.S. FRONT BRAKE VALVE			
432-00		AY VALVE WITH 5-8 PSI CRACK PRESSUR REAR PROPORTIONING VALVE	RE,		
480-08		BCO SYSTEM SAVER HP WITH INTEGRAL GOVERNOR AND HEATER			

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Data Code	Description	Weight Front	Weight Rear	
479-015	AIR DRYER FRAME MOUNTED			
460-001	STEEL AIR BRAKE RESERVOIRS			
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS			
Trailer Connections				
481-998	NO TRAILER AIR HOSE			NAME OF STREET
476-998	NO AIR HOSE HANGER			
310-998	NO TRAILER ELECTRICAL CABLE			
Wheelbase & Frame				
545-647	6475MM (255 INCH) WHEELBASE			
546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	370	110	
552-063	2550MM (100 INCH) REAR FRAME OVERHANG			
55W-009	FRAME OVERHANG RANGE: 91 INCH TO 100 INCH	-40	170	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 189.37 in			
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 186.37 in			
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 394.3 in			
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 128.61 in			
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 155.91 in			
553-001	SQUARE END OF FRAME			
550-001	FRONT CLOSING CROSSMEMBER			
559-003	LIGHTWEIGHT HEAVY DUTY ALUMINUM ENGINE CROSSMEMBER	-12		
561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			
572-001	STANDARD REARMOST CROSSMEMBER			
565-001	STANDARD SUSPENSION CROSSMEMBER			
Chassis Equipment				
556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		
558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			
585-998	NO MUDFLAP BRACKETS			
590-998	NO REAR MUDFLAPS			

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

TALLAHASSEE, FL 32399 Phone: 850-488-7540

	Data Code	Description	Weight Front	Weight Rear	
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			
	44Z-002	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE			
Fifth W	heel				
	578-998	NO FIFTH WHEEL			
Fuel Ta	inks				
	204-034	80 GALLON/302 LITER RECTANGULAR ALUMINUM FUEL TANK - LH	40	10	
	218-005	RECTANGULAR FUEL TANK(S)			
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			
	212-007	FUEL TANK(S) FORWARD			
	664-001	PLAIN STEP FINISH			
	205-001	FUEL TANK CAP(S)			
	122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		
	216-020	EQUIFLO INBOARD FUEL SYSTEM			
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			
Tires					
	093-16M	CONTINENTAL HSR3 11R22.5 14 PLY RADIAL FRONT TIRES	70		
	094-12P	CONTINENTAL HDR2+ 11R22.5 14 PLY RADIAL REAR TIRES		92	
Hubs					
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			
Wheels					
	502-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS			
	505-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			
	496-011	FRONT WHEEL MOUNTING NUTS			
	497-011	REAR WHEEL MOUNTING NUTS			
Cah Fy	terior				

ERROR: Image type not supported.

Data Cod	le Description	Weight Front	Weight Rear
829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB		
650-008	AIR CAB MOUNTING		
678-001	LH AND RH GRAB HANDLES		
646-045	MOLD-IN COLOR GRILLE		
65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE		
644-004	FIBERGLASS HOOD		
690-998	NO NOISE SHIELD-ENG COMPARTMENT		
727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK	4	
726-001	SINGLE ELECTRIC HORN		
728-001	SINGLE HORN SHIELD		
575-001	REAR LICENSE PLATE MOUNT END OF FRAME		
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY		
302-047	LED AERODYNAMIC MARKER LIGHTS		
311-001	DAYTIME RUNNING LIGHTS		
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
300-015	STANDARD FRONT TURN SIGNAL LAMPS		
744-1BK	DUAL WEST COAST MOLDED-IN COLOR HEATED MIRRORS WITH LH AND RH REMOTE		
797-001	DOOR MOUNTED MIRRORS		
796-001	102 INCH EQUIPMENT WIDTH		
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS		
729-001	STANDARD SIDE/REAR REFLECTORS		
768-043	63X14 INCH TINTED REAR WINDOW		
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS		
654-011	RH AND LH ELECTRIC POWERED WINDOWS		
663-013	1-PIECE SOLAR GREEN GLASS WINDSHIELD		
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED		
Cab Interior			
055-019	RUGGED TRIM PACKAGE		
707-107	GRAY & CARBON VINYL INTERIOR "RUGGED"		
70K-020	CARBON WITH PREMIUM GUNMETAL ACCENT (RUGGED)		
706-013	MOLDED PLASTIC DOOR PANEL		
708-013	MOLDED PLASTIC DOOR PANEL		

ERROR: Image type not supported.

TALLAHASSEE, FL	32399
Phone: 850-488-754	0

	Data Code	Description	Weight Front	Weight Rear
/	772-006	BLACK MATS WITH SINGLE INSULATION		
	785-035	ASH CUP AND (1)LIGHTER,(1)DASH MOUNTED DUAL USB-C OUTLET		
	691-001	FORWARD ROOF MOUNTED CONSOLE		
	693-019	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
	738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
	742-007	(2) CUP HOLDERS LH AND RH DASH		
	680-029	M2/SD DASH		
	700-002	HEATER, DEFROSTER AND AIR CONDITIONER		
	701-001	STANDARD HVAC DUCTING		
	703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
	170-015	STANDARD HEATER PLUMBING		
	130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
	702-002	BINARY CONTROL, R-134A		
	739-033	STANDARD INSULATION		
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
	324-1B3	STANDARD LED CAB LIGHTING		
	787-998	NO SECURITY DEVICE		
	657-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
	78G-004	KEY QUANTITY OF 4		
	655-005	LH AND RH ELECTRIC DOOR LOCKS		
	756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30	
	760-343	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT, SEATS INC	20	
	759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS	4	
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
	758-014	BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER		
	761-014	BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER		
	763-101	BLACK SEAT BELTS		
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		

TALLAHASSEE, FL 32399 Phone: 850-488-7540 ERROR: Image type not supported.

Da	ata Code	Description	Weight Front	Weight Rear	
54	10-044	4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES			
76	55-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			
Instrumen	its & Cont	rols			
73	34-024	INTEGRATED UPPER & LOWER STORAGE			

	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS
strum	ents & Contro	ols Control of the Co
	734-024	INTEGRATED UPPER & LOWER STORAGE PANELS
	870-002	BRIGHT ARGENT FINISH GAUGE BEZELS
	486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
	840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE
	198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
	149-015	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES
	156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
	811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY
	81B-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY
	160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
	844-001	2 INCH ELECTRIC FUEL GAUGE
	4C0-998	NO ADDITIONAL EXTRA SWITCH ACCUATORS
	856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
	864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
	867-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER
	830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
	372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE
	736-998	NO OBSTACLE DETECTION SYSTEM
	72J-998	NO DR ASSIST SYSTEM
	49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL
	73B-998	NO LANE DEPARTURE WARNING SYSTEM
	852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE

Phone: 850-488-7540

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

	Data Code	Description	Weight Front	Weight Rear
	746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
	747-001	DASH MOUNTED RADIO		
	750-002	(2) RADIO SPEAKERS IN CAB		
	753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF		
	74D-006	STANDARD RADIO WIRING WITH STEERING WHEEL CONTROLS		
	810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
	817-001	STANDARD VEHICLE SPEED SENSOR		
	812-001	ELECTRONIC 3000 RPM TACHOMETER		
	813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
	8D1-303	3 YEARS DAIMLER CONNECTIVITY BASE PACKAGE (FEATURES VARY BY MODEL) POWERED BY DETROIT CONNECT		
	6TS-006	TMC RP1226 ACCESSORY CONNECTOR LOCATED CENTER OF OVERHEAD CONSOLE		
	162-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
	264-030	(1) OVERHEAD MOUNTED LANYARD CONTROL FOR DRIVER AIR HORN		
	883-998	NO TRAILER HAND CONTROL BRAKE VALVE		
	836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
	660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY		
	304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
	298-046	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH 40 AMP (20 AMP PER SIDE) TRAILER LAMP CAPACITY		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS		

Application Version 11.9.502 Data Version PRL-28M.025 2025 M2 PLUS HERNANDO SCHOOLS SPEC 530 1-8-24

PAINT

ERROR: Image type not supported.

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

TALLAHASSEE, FL 32399 Phone: 850-488-7540

Data 0	Code	Description	Weight Front	Weight Rear	
962-97	72	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
966-97	72	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
964-62	Z 7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			
969-99	98	NO CAB/BODY EXTERIOR DECALS			
963-00	03	STANDARD E COAT/UNDERCOATING			
Certification	/ Comp	pliance			
996-00	01	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
Secondary Fa	actory	Options			
998-00	01	CORPORATE PDI CENTER IN-SERVICE ONLY			

Weight Summary			
	Weight	Weight	Total
	Front	Rear	Weight
Factory Weight ⁺	6322 lbs	3977 lbs	10299 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight ⁺	6322 lbs	3977 lbs	10299 lbs

TOTAL VEHICLE SUMMARY

		Weight	Weight
		Front	Rear
24VAN	24FT VAN BODY WITH RAIL GATE TO MEET HERNANDO COUNTY SPEC	0	0

(+) Weights shown are estimates only.

If weight is critical, contact Customer Application Engineering.

ERROR: Image type not supported.

ERROR: Image type not supported.

Prepared by: Scott Endris SOUTHPORT TRUCK GROUP 7528 US HWY 301 NORTH TAMPA, FL 33637 Phone: 813-293-0866

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Application Version 11.9.502 Data Version PRL-28M.025 2025 M2 PLUS HERNANDO SCHOOLS SPEC 530 1-8-24 01/17/2024 5:21 PM

ERROR: Image type not supported.

Prepared by:
Scott Endris
SOUTHPORT TRUCK GROUP
7528 US HWY 301 NORTH
TAMPA, FL 33637
Phone: 813-293-0866

DIMENSIONS

VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	M2106
Wheelbase (545)	
Rear Frame Overhang (552)	2550MM (100 INCH) REAR FRAME OVERHANG
Fifth Wheel (578)	NO FIFTH WHEEL
	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
	0
Slide Increment (in)	0
Desired Slide Position (in)	0.0
Cab Size (829)	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016) RH OUTBOARD UNDER STI WITH RH HORIZONTAL TAIL PIPF	EP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY

TABLE SUMMARY - DIMENSIONS

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

ERROR: Image type not supported.

Reinforce Rear Sill

LINING: (5) rows Composite Slats 3 Walls Solid Bulkhead **BULKHEAD:** Reinforced Bulkhead Spanner Plates (standard) **CARGO** CONTROL: E-Track __2__ rows __2__walls @ __24 / 48"c___ from Floor 12" Composite Kickplate 3 Walls 24" Steel Treadplate Threshold Plate Forklift Package MISC:

Anthony MRT-3500 3500# Railgate w/ 80" x 72" Steel Platfrom + 16" Alum Retention Ramp w/ Cab Kill Switch

(2) LED Dome Light w/ Cab Switch

Backup Alarm

Weight Slip 2nd Stage MSO

CHASSIS Dealer Pickup / Delivered FREIGHT

\$35132.-Q2/2024 **GRAND TOTAL**

Quote Good for 10 Days

For Q4-2023 Receipt of Chassis Chassis Received After Maybe Subject to Surcharge

PLEASE NOTE DUE TO THE VOTILITY OF THE COMMODITIES MARKETS. QUOTES ARE ONLY GOOD FOR 10 DAYS **NO EXCEPTIONS**

Thanks Sid Simandl Florida Regional Sales Manager American Commercial Body Co

Reinforce Rear Sill

LINING: (5) rows Composite Slats 3 Walls **BULKHEAD:** Solid Bulkhead Reinforced Bulkhead CARGO Spanner Plates (standard) E-Track __2__ rows __2__walls @ __24 / 48"c___ from Floor CONTROL: 12" Composite Kickplate 3 Walls 24" Steel Treadplate Threshold Plate Forklift Package Anthony MRT-3500 3500# Railgate w/ 80" x 72" Steel Platfrom + 16" Alum Retention Ramp MISC: w/ Cab Kill Switch (2) LED Dome Light w/ Cab Switch

(2) LED Dome Light w/ Cab Switch Backup Alarm Weight Slip 2nd Stage MSO

For Q4-2023 Receipt of Chassis Chassis Received After Maybe Subject to Surcharge

Thanks Sid Simandl Florida Regional Sales Manager American Commercial Body Co